

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

102


GILLETT


FERN AND FLOWER FARM, INC.

NATIVE

PLANTS

1878 - 1935





Natural planting of the Ostrich Fern

GENERAL INFORMATION

SHIPPING INSTRUCTIONS—Our shipping season opens about April 1st. Customers are requested to state how stock is to be shipped. In case no instructions are furnished by a customer, we will exercise our best judgment, but will not be responsible for damage to stock which may result from long transit.

CLAIMS—No claims will be entertained unless made within 10 days of receipt of goods. When shipments are injured by delays in transit, claims should at once be made against transportation company by consignee.

PRICES—The prices in this list include packing and delivery to the local express or freight station. In the case of Broadleaved Evergreens and Azaleas, where they are shipped with balls of earth, the price includes careful digging and burlapping. Packing will be charged for in addition, at cost, for Wholesale Trade.

When Bulbs or Ferns are ordered in small quantities they can be delivered by parcel post and an extra charge of 10% of the cost of the plants should be added to cover delivery charges East of the Mississippi River and 20% on orders to points West of the Mississippi River.

Five of any one variety and size will be sold at the 10 rate. Thirty or more of any one variety, at the 100 rate.

A discount of 2% will be given when remittance accompanies the order. All unknown Parties should send remittance with order.

All shipments will be accompanied by Certificates of Inspection, both Federal and State.

KEY TO AID SELECTION OF PLANTS FOR SPECIAL PLACES

- A—Indicates Plants desirable for Dark, Shady Places.
- B—Indicates Plants desirable for Low, Wet Places.
- C—Indicates Plants desirable for Open, Sunny Places.
- D—Indicates Plants desirable for Dry, rather Open Woods.
- *—Indicates Plants desirable for Rock Gardens.

Two or more of the Signs against the same Plant means that the Plant does equally well in the several positions.

HOW TO REACH OUR NURSERIES

Our nurseries are located at Southwick, Mass. The New College Highway, extending from Northampton to New Haven, passes our nurseries, making them easily reached by automobile from all directions. Visitors are always welcome.

GILLET FERN AND FLOWER FARM, INC.

SOUTHWICK, MASS.

HARDY FERNS

Hardy Ferns are being used in quantity for massed plantings, and selections can be made to suit almost any location. Such places as corners about the house where the sun doesn't strike can be beautified by the use of Hardy Ferns. There are a few varieties which will thrive in open sun, yet, for the most part, they will give much better results planted in a shady location.

Hardy Ferns can be planted in either the spring or fall. Care should be taken in not planting them too deep. Those varieties with a crown, plant level with the surface, while those growing from underground root stalks, plant just below the surface. Ferns thrive in a light and porous soil with a goodly amount of leaf-mold.

VARIETIES

		Each	Per 10	Per 100			Each	Per 10	Per 100
(A)	<i>Adiantum pedatum</i> (Maidenhair Fern)	\$0.25	\$1.50	\$12.00	(A)	<i>Dryopteris Goldieanum</i> (Goldie's Wood Fern)	\$0.35	\$3.00	\$25.00
(DC*)	<i>Asplenium platyneuron</i> (Ebony Spleenwort)	.25	1.50	12.00	(AD)	<i>Dryopteris hexagonoptera</i> (Winged Wood Fern)	.25	1.50	12.00
(AC*)	<i>Asplenium trichomanes</i> (Maidenhair Spleenwort)	.25	1.50	12.00	(AD)	<i>Dryopteris linnaeana</i> (Oak Fern)	.25	1.50	12.00
(ACD)	<i>Athyrium Filixfemina</i> (Lady Fern)	.25	1.50	12.00	(AD)	<i>Dryopteris marginalis</i> (Leather Wood Fern)	.25	1.50	12.00
(A)	<i>Athyrium pycnocarpon</i> (Narrow-leaved Spleenwort)	.30	2.50	20.00	(AB)	<i>Dryopteris noveboracensis</i> (New York Fern)	.25	1.50	12.00
(A)	<i>Athyrium thelypteroides</i> (Silvery Spleenwort)	.25	1.50	12.00					
(A*)	<i>Camptosorus rhizophyllus</i> (Walking-Leaf Fern)	.25	2.00	15.00					
(A)	<i>Cystopteris bulbifera</i> (Bladder Fern)	.25	1.50	12.00					
(B)	<i>Cystopteris fragilis</i> (Small Bladder Fern)	.25	1.50	12.00					
(ACD)	<i>Dennstedtia punctilobula</i> (Hayscented Fern)	.25	1.50	12.00					
	<i>Dennstedtia punctilobula</i> , Sq. Ft. Sods	.60	5.00	35.00					
(A)	<i>Dryopteris clintoniana</i> (Clinton Wood Fern)	.25	1.50	12.00					
(A)	<i>Dryopteris cristata</i> (Crested Wood Fern)	.25	1.50	12.00					
(A)	<i>Dryopteris dilatata</i> (Mountain Wood Fern)	.30	2.00	15.00					
(A)	<i>Dryopteris Filix-mas</i> (Male Fern)	.50	4.00	30.00					



A naturalistic path along the edge of a wood. Small Ferns and mosses were used about the steps; tall Ferns and a few perennials border the way. Arranged by our Service Department, but one might think that nature had been entirely unassisted.



A forest of Ferns, with everyone a good specimen

	Each	Per 10	Per 100
(A) <i>Dryopteris phegopteris</i> (Narrow Beech Fern).....	\$0.25	\$1.50	\$12.00
(A) <i>Dryopteris spinulosa</i> (Toothed Wood Fern).....	.25	1.50	12.00
(AB) <i>Dryopteris thelypteris</i> (Marsh Fern).....	.25	1.50	12.00
(AB) <i>Onoclea sensibilis</i> (Sensitive Fern).....	.25	1.50	12.00
(ABC) <i>Osmunda cinnamomea</i> (Cinnamon Fern).....	.25	2.00	15.00
(ACD) <i>Osmunda Claytoniana</i> (Interrupted Fern).....	.25	2.00	15.00
(ACD) <i>Osmunda regalis</i> (Royal Fern).....	.25	2.00	15.00
(AD) <i>Pellaea atropurpurea</i> (Purple Cliffbrake).....	.50	4.00	
(D*) <i>Polypodium vulgare</i> (Common Polypody).....	.25	1.50	12.00
(AD) <i>Polystichum acrostichoides</i> (Christmas Fern).....	.25	1.50	12.00
(A) <i>Polystichum Braunii</i> (Braun Holly Fern).....	.40	3.50	30.00
(AC) <i>Pteretis nodulosa</i> (Ostrich Fern).....	.25	2.00	15.00
(ACD) <i>Pteridium aquilinum</i> (Bracken).....	.25	1.50	12.00
(CD) <i>Woodsia ilvensis</i> (Rusty Woodsia).....	.25	1.50	12.00

	Each	Per 10	Per 100
(AD) <i>Woodsia obtusa</i> (Obtuse-leaved Woodsia).....	\$0.25	\$1.50	\$12.00
(AB) <i>Woodwardia areolata</i> (Chain Fern)25	2.00	15.00
(B) <i>Woodwardia virginica</i> (Virginia Chain Fern)25	1.50	12.00

CLUB MOSSES

	Each	Per 10	Per 100
(A) <i>Lycopodium clavatum</i> (Running Pine)	\$0.25	\$1.50	\$12.00
(A) <i>Lycopodium complanatum</i> (Ground Cedar)25	1.50	12.00
(A) <i>Lycopodium lucidulum</i> (Shining Club Moss)25	1.50	12.00
(C) <i>Lycopodium obscurum</i> (Ground Pine)25	1.50	12.00
(C) <i>Selaginella apus</i>25	1.50	12.00

COLLECTIONS OF HARDY FERNS BOUND TO PLEASE LOVERS OF WILD FLOWERS

The following collections are made up to help in selecting for special needs, and should be sent by express or freight.

No. 1, \$5. For Open Sun Culture

This collection is desirable for the open border, and all the Ferns being rather tall, can be grown as single specimens or for massing, with or without flowers.

5 *Athyrium filixfemina*, 2-3 ft.

20 *Dennstedtia punctilobula*, 1-2 ft.

5 *Osmunda claytoniana*, 2-3 ft.

5 *Pteretis nodulosa*, 2-4 ft.

No. 2, \$5. For Dry, Shady Places

These Ferns will grow in a dry, shady place. Plant them where flowers, as a rule, do not thrive.

10 *Dennstedtia punctilobula*, 1-2 ft.

10 *Dryopteris marginalis*, 1-2 ft.

5 *Osmunda claytoniana*, 2-3 ft.

10 *Polystichum acrostichoides*, 1 ft.



Collection Number 5

No. 3, \$6. For Moist, Shady Places

This collection is fine and easily handled in moist, shady places; also for large rockery.

5 *Adiantum pedatum*, 1 ft. 5 *Dryopteris marginalis*, 1-2 ft.
 5 *Athyrium filixfemina*, 2-3 ft. 5 *Dryopteris spinulosa*, 1-1½ ft.
 5 *Athyrium thelypteroides*, 2-3 ft. 5 *Polystichum Acrostichoides*,
 5 *Dryopteris cristata*, 1 ft. 1 ft.
 5 *Dryopteris hexagonoptera*, 1 ft. 5 *Woodwardia virginica*, 2 ft.

No. 4, \$5. For Wet, Open Ground

These Ferns are very useful for border of a lake or low, wet ground.

10 *Dryopteris thelypteris*, 1 ft. 10 *Osmunda regalis*, 2-3 ft.
 10 *Onoclea sensibilis*, 1 ft. 10 *Woodwardia virginica*, 2 ft.

No. 5, \$6. Low Evergreen Ferns for Dry, Rocky Ledge

10 *Asplenium platyneuron*, 6-15" 10 *Polypodium vulgare*, 4-10"
 10 *Asplenium trichomanes*, 3-6" 5 *Woodsia obtusa*, 6-12"
 10 *Camptosorus rhizophyllus*, 4-9"

HARDY PERENNIALS

Many of the varieties you find listed below are native plants. There is no class of plants which gives the same permanency of effect as do these. When established they bloom year after year, while many of the so-called hardy plants pass their period of usefulness after two or three years.

VARIETIES

		Each	Per 10	Per 100
(A)	<i>Actaea alba</i> (White Baneberry).....	\$0.35	\$2.50	\$20.00
(A)	<i>Actaea rubra</i> (Red Baneberry).....	.35	2.50	20.00
(C*)	<i>Alyssum saxatile compactum</i> (Goldentuft).....	.25	1.50	12.00
(C*)	<i>Androsace primuloides</i> (Rock Jasmine).....	.25	1.50	12.00
(C*)	<i>Anemone pulsatilla</i> (Purple Pasque Flower)....	.25	2.00	15.00
(ACD)	<i>Aquilegia canadensis</i> (American Columbine)....	.25	1.50	12.00
(C*)	<i>Arabis mollis</i> (Downy Rockcress—White).....	.25	1.50	12.00
(AC*)	<i>Arenaria caespitosa</i> (Moss Sandwort).....	.25	1.50	12.00
(A)	<i>Arisaema triphyllum</i> (Jack-in-the-Pulpit).....	.25	1.50	12.00
(A)	<i>Asarum canadense</i> (Wildginger).....	.15	1.00	8.00
(CD)	<i>Asclepias tuberosa</i> (Butterfly Weed).....	.25	2.00	15.00
(C*)	<i>Aster alpinus</i> (Rock Aster—Pink).....	.25	1.50	12.00
(C*)	<i>Aster alpinus albus</i> (Rock Aster—White).....	.25	1.50	12.00
(ACD)	<i>Aster cordifolius</i> (Blue Wood Aster).....	.25	1.50	12.00
(ACD)	<i>Aster corymbosus</i> (White Wood Aster).....	.25	1.50	12.00
(ACD)	<i>Aster ericoides</i> (Heather Aster—White).....	.25	1.50	12.00
(CD)	<i>Aster laevis</i> (Smooth Aster—Blue).....	.25	1.50	12.00
(C)	<i>Aster linnariifolius</i> (Double-bristled—Violet)....	.25	1.50	12.00
(CD)	<i>Aster multiflorus</i> (Wreath Aster—White).....	.15	1.00	8.00
(C)	<i>Aster novae-angliae</i> (New England—Purple)....	.25	1.50	12.00
(BC)	<i>Aster novi-belgii</i> (New York Aster—Pale Blue)	.25	1.50	12.00
(CB)	<i>Baptisia tinctoria</i> (Wild Indigo—Yellow).....	.25	1.50	12.00
(C*)	<i>Campanula carpatica</i> (Carpathian Bellflower— Blue)25	1.50	12.00

		Each	Per 10	Per 100
(C)	<i>Campanula carpatica alba</i> (Carpathian Bellflower—White).....	\$0.25	\$2.00	\$15.00
(CD*)	<i>Campanula rotundifolia</i> (Harebell—Blue).....	.25	1.50	12.00
(AD)	<i>Caulophyllum thalictroides</i> (Blue Cohosh).....	.25	1.50	12.00
(AB)	<i>Chelone glabra</i> (White Turtlehead).....	.25	1.50	12.00
(D)	<i>Chimaphila maculata</i> (Striped Pipsissewa).....	.25	1.50	12.00
(D)	<i>Chimaphila umbellata</i> (Common Pipsissewa).....	.25	1.50	12.00
(AC)	<i>Cimicifuga racemosa</i> (Black Snakeroot—White).....	.25	1.50	12.00
(A)	<i>Claytonia virginica</i> (Springbeauty—Rose).....	.15	1.00	8.00
(A)	<i>Clintonia borealis</i> (Bluebeard).....	.15	1.00	8.00
(ACD)	<i>Convallaria majalis</i> (Meillez's Revelation; Lily-of-the-Valley—White)....	.25	1.50	12.00
(A)	<i>Coptis trifolia</i> (Gold-Thread—White).....	.25	1.50	12.00
(A)	<i>Cornus canadensis</i> (Bunchberry; four-inch sods).....	.30	2.50	20.00
(C*)	<i>Delphinium grandiflorum chinensis</i> (Slender Larkspur—Pale Blue).....	.25	1.50	12.00
(A)	<i>Dentaria diphylla</i> (Crinkleroot—White).....	.15	1.00	8.00
(C)	<i>Dianthus barbatus</i> (Sweet William—mixed colors).....	.25	1.50	12.00

(CD*)	<i>Dianthus deltoides</i> (Maiden Pink—Crimson)25	1.50	12.00
-------	--	-----	------	-------

(C*)	<i>Dianthus plumarius</i> (Grass Pink)25	1.50	12.00
------	---	-----	------	-------



Gaultheria procumbens



Arisaema triphyllum

		Each	Per 10	Per 100
(A)	<i>Dicentra canadensis</i> (Squirrel Corn—White).....	\$0.15	\$1.00	\$8.00
(A)	<i>Dicentra Cucullaria</i> (Dutchman's Breeches—White).....	.15	1.00	8.00
(A)	<i>Dodecatheon Media</i> (Shooting Star—Rose to White).....	.30	2.50	20.00
(A)	<i>Erythronium americanum</i> (Common Troutlily—Yellow).....	.15	1.00	8.00
(A)	<i>Erythronium americanum albidum</i> (White Troutlily).....	.15	1.00	8.00
(A)	<i>Erythronium grandiflorum</i> (Glacierlily—Yellow).....	.15	1.00	8.00
(A)	<i>Erythronium Hendersonii</i> (Henderson—Light Purple).....	.15	1.00	8.00
(B)	<i>Eupatorium perfoliatum</i> (Boneset—White).....	.25	1.50	12.00
(AB)	<i>Eupatorium purpureum</i> (Joe-Pye-Weed—Purple).....	.25	1.50	12.00
(BC)	<i>Eupatorium urticaefolium</i> (Snow Thoroughwort—White).....	.25	1.50	12.00
(A)	<i>Galax aphylla</i> (Native—White).....	.30	2.00	15.00
(A)	<i>Gaultheria procumbens</i> (Wintergreen).....	.30	2.50	20.00
(AB)	<i>Gentiana Andrewsii</i> (Closed Gentian—Blue).....	.25	1.50	12.00
(CD)	<i>Geranium maculatum</i> (Wild Geranium—Light Purple).....	.20	1.25	9.00

		Each	Per 10	Per 100
(AD)	<i>Hepatica acutiloba</i> (Sharp-lobed—Whitish Pink).....	\$0.25	\$1.50	\$12.00
(AD)	<i>Hepatica triloba</i> (Round-lobed—Pinkish Purple).....	.25	1.50	12.00
(CD*)	<i>Houstonia caerulea</i> (Bluets—Pale Blue).....	.15	1.00	8.00
(C)	<i>Hypoxis hirsuta</i> (Goldeye-Grass—Yellow).....	.25	1.50	12.00
(C*)	<i>Iberis sempervirens</i> (Evergreen Candytuft—White).....	.25	2.00	15.00
(CD*)	<i>Iris cristata</i> (Crested Iris—Pale Blue).....	.25	1.50	12.00
(ABC)	<i>Iris pseudacorus</i> (Yellowflag Iris).....	.25	1.50	12.00
(ABC)	<i>Iris Snow Queen</i> (White).....	.25	1.50	12.00
(A*)	<i>Iris verna</i> (Vernal Iris—Blue with Yellow Centers).....	.25	1.50	12.00
(BC)	<i>Iris versicolor</i> (Blueflag Iris).....	.25	1.50	12.00
(CD)	<i>Liatris pycnostachya</i> (Cattail Gayfeather—Purple).....	.25	1.50	12.00
(CD)	<i>Liatris scariosa</i> (Native—Purple).....	.25	1.50	12.00
(CA)	<i>Lilium canadense</i> (Canada Lily—Yellow).....	.25	2.00	15.00
(A)	<i>Lilium Grayi</i> (Gray's Lily—Deep Red).....	.30	2.50	20.00



Dicentra Cucullaria

(CD)	<i>Lilium philadelphicum</i> (Orangecup Lily—Reddish- Orange spotted with Purple)	.25	2.00	15.00
------	---	-----	------	-------

		Each	Per 10	Per 100
(AC)	<i>Lilium superbum</i> (American Turkscap—Orange).....	\$0.25	\$2.00	\$15.00
(BC)	<i>Lobelia cardinalis</i> (Cardinal Flower—Bright Red).....	.25	1.50	12.00
(AC)	<i>Lobelia siphilitica</i> (Large Blue Lobelia).....	.25	1.50	12.00
(AC*)	<i>Lysimachia Nummularia</i> (Moneyworth—Yellow).....	.25	1.50	12.00
(BC)	<i>Lythrum salicaria</i> (Purple Loosestrife).....	.25	1.50	12.00
(AD)	<i>Maianthemum bifolium</i> (False Lily-of-the-Valley).....	.25	1.50	12.00
(A)	<i>Mertensia virginica</i> (Virginia Bluebell).....	.25	1.50	12.00
(AD)	<i>Mitchella repens</i> (Partridge Berry).....	.30	2.50	20.00
(AD)	<i>Mitella diphylla</i> (Bishop's Cap—White).....	.25	1.50	12.00
(ABC)	<i>Myosotis scorpioides</i> (True Forget-Me-Not—Blue).....	.25	1.50	12.00
(BC)	<i>Nepeta hederacea scorpioides</i> (Ground-Ivy—Pale Blue).....	.10	.75	5.00
(BC)	<i>Parnassia caroliniana</i> (Carolina Parnassus—White).....	.25	1.50	12.00
(CD*)	<i>Phlox amoena</i> (Amoena Phlox—Bright Pink).....	.15	1.00	8.00
(CD)	<i>Phlox divaricata</i> (Blue Phlox—Pale Lilac).....	.25	1.50	12.00
(C*)	<i>Phlox subulata</i> (Moss Pink Phlox).....	.15	1.00	8.00
(C*)	<i>Phlox subulata alba</i> (White).....	.15	1.00	8.00



Hepatica triloba (Liver leaf)



Gentiana Andrewsii


		Each	Per 10	Per 100
(C*)	Phlox subulata lilacina (Light Blue)	\$0.15	\$1.00	\$8.00
(C*)	Phlox vivid (Clear Pink)....	.25	1.50	12.00
(A)	Podophyllum peltatum (Mayapple—White)25	1.50	12.00
(A)	Polygala paucifolia (Fringed Polygala— Rose Purple)25	1.50	12.00

		Each	Per 10	Per 100
(A*)	Polygonatum biflorum (Small Solomon's Seal).....	\$0.25	\$1.50	\$12.00
(A)	Polygonatum commutatum (Great Solomon's Seal)....	.30	2.00	15.00
(AC)	Primula Beesiana (Primrose—Purple with Yellow Eye)	.25	2.00	15.00
(AC)	Primula cachemiriana (Dark Lilac).....	.25	2.00	15.00
(AC)	Primula japonica (Crimson or Creamy White).....	.25	2.00	15.00
(AC)	Primula Polyantha (Garnet and Yellow).....	.25	2.00	15.00
(D)	Pyrola elliptica (Shin Leaf—White).....	.25	1.50	12.00
(A)	Sanguinaria canadensis (Bloodroot—White).....	.15	1.00	8.00
(D*)	Saxifraga virginensis (Virginia Saxifraga—White)....	.15	1.00	8.00
(C*)	Sedum acre (Gold Moss—Yellow).....	.15	1.00	8.00
(C*)	Sedum album (White Stonecrop).....	.15	1.00	8.00
(C*)	Sedum lydium (Lydian Stonecrop).....	.15	1.00	8.00
(C*)	Sedum rupestre minor (Yellow).....	.15	1.00	8.00
(C*)	Sedum saramentosum (Stringy Stonecrop—Yellow)....	.15	1.00	8.00
(C*)	Sedum sexangulare (Hexagon Stonecrop).....	.15	1.00	8.00
(C*)	Sedum stoloniferum (Running Stonecrop—Pink)15	1.00	8.00
(C*)	Sedum stoloniferum coccineum (Scarlet Running)15	1.00	8.00
(C*)	Sedum spectabile (Showy Sedum —Rose)25	1.50	12.00
(C*)	Sempervivum Alberti (Houseleek —Bright Red)15	1.00	8.00
(C*)	Sempervivum arachnoideum (Spiderweb Houseleek)15	1.00	8.00



Mertensia Virginica (Virginia Cowslip)

		Each	Per 10	Per 100
(C*)	Sempervivum globiferum (Globe Houseleek—Yellow)	\$0.15	\$1.00	\$8.00
(C*)	Sempervivum tectorum (Roof Houseleek)15	1.00	8.00
(A)	Shortia galacifolia (Oconee—Bells—White)35	3.00	25.00
(A)	Smilacina racemosa (False Solomon's Seal—White)25	1.50	12.00
(C)	Solidago caesia (Wreath Goldenrod—Yellow)25	1.50	12.00
(CD)	Solidago canadensis (Canadian Goldenrod—Yellow)25	1.50	12.00
(D)	Solidago Nemoralis (Oldfield Goldenrod—Yellow)25	1.50	12.00
(AD)	Thalictrum dioicum (Early Meadowrue—Purple)15	1.00	8.00



Sanguinaria canadensis (Blood-root)

		Each	Per 10	Per 100
(AB)	Thalictrum polygamum (Tall Meadowrue—White)	\$0.25	\$1.50	\$12.00
(C*)	Thymus lanuginosus (Woolly Thyme)....	.15	1.00	8.00
(C*)	Thymus Serpyllum (Mother of Thyme—Lavender)15	1.00	8.00
(C*)	Thymus Serpyllum albus (White).....	.15	1.00	8.00
(C*)	Thymus Serpyllum coccineus (Scarlet)....	.15	1.00	8.00
(A)	Tiarella cordifolia (False Miterwort—White)25	1.50	12.00
(ABC)	Tradescantia virginiana (Virginia Spiderwort—Blue)25	1.50	12.00
(A)	Trillium erectum (Purple Trillium).....	.15	1.00	8.00
(A)	Trillium grandiflorum (Snow Trillium)15	1.00	8.00

		Each	Per 10	Per 100
(A)	Trillium stylosum (Rose Trillium).....	\$0.15	\$1.00	\$8.00
(A)	Trillium undulatum (Painted—White with Purple Base).....	.15	1.00	8.00
(A)	Tunica saxifraga (Saxifrage Tunicflower—Pink)25	1.50	12.00
(A)	Uvularia grandiflora (Big Merrybells—Yellow)20	1.25	10.00
(AD)	Uvularia perfoliata (Wood Merrybells—Yellow)15	1.00	8.00
(AD)	Uvularia sessifolia (Little Merrybells—Yellow)15	1.00	8.00
(C*)	Veronica incana (Woolly Speedwell—Blue)25	1.50	12.00

		Each	Per 10	Per 100
(C*)	<i>Veronica prostrata</i> (Harebell Speedwell—Blue)	\$0.25	\$1.50	\$12.00
(ACD*)	<i>Vinca minor</i> (Blue Myrtle).....	.25	1.50	12.00
(AB)	<i>Viola blanda</i> (Sweet White Violet).....	.20	1.25	10.00
(A)	<i>Viola canadensis</i> (Canadian Violet—White)25	1.50	12.00
(AB)	<i>Viola conspersa silvestris</i> (Dog Violet—Blue)20	1.25	10.00
(C*)	<i>Viola cornuta</i> (Tufted Pansy—Bright Lavender)25	1.50	12.00
(ABC)	<i>Viola cucullata</i> (Blue Marsh Violet).....	.15	1.00	8.00

		Each	Per 10	Per 100
(C*)	<i>Viola lutea</i> (European Yellow Violet)....	\$0.25	\$1.50	\$12.00
(C)	<i>Viola palmata</i> (Blue).....	.25	1.50	12.00
(C*)	<i>Viola pedata</i> (Bird's-foot Violet—Bluish Purple)25	1.25	10.00
(C)	<i>Viola pedata bicolor</i> (Darker in color than above)25	2.00	15.00
(A)	<i>Viola pubescens</i> (Downy Yellow Violet)25	1.50	12.00
(AC)	<i>Viola septentrionalis</i> (Native—White, Purple Throat)25	1.50	12.00
(C)	<i>Viola tricolor</i> (Johnny-Jump-Ups—Yellow and Purple)15	1.00	8.00



Trillium grandiflorum



May we help you with your garden plans?
We will gladly share our years of experience with you if you will drop us a line.



Viola canadensis

BOG PLANTS AND NATIVE ORCHIDS

To the group of plants which can be conveniently classed as Bog Plants belong some of the most interesting varieties of our American flora. These require a damp situation in which the moisture must be constant yet not excessive.



Caltha palustris

Native Orchids can be successfully grown under the right conditions. The *Cypripedium acaule* should be planted

where the soil is very light, composed chiefly of sand and where the drainage is exceptionally good, and should always be planted in the shade. The *Cypripedium spectabile* requires boggy conditions where there is constant moisture. The

Cypripedium pubescens will grow either under boggy conditions or in a rich wood soil in the shade.

VARIETIES

	Each	Per 10	Per 100		Each	Per 10	Per 100
<i>Acorus calamus</i> (Sweet Flag).....	\$0.25	\$1.50	\$12.00	<i>Menyanthes trifoliata</i> (Buck Bean).....	\$0.15	\$1.00	\$8.00
<i>Calla palustris</i> (Wild Calla).....	.15	1.00	8.00	<i>Pogonia ophioglossoides</i> (Snake Mouth Orchid—			
<i>Caltha palustris</i> (Marsh Marigold).....	.15	1.00	8.00	Pink)25	1.50	12.00
<i>Calopogon pulchellus</i> (Grass Pink Orchid).....	.25	1.50	12.00	Primroses —See Hardy Perennials			
<i>Cypripedium acaule</i> (Lady's Slipper—Moccasin				<i>Sarracenia flava</i> (Trumpet-Leaf).....	.25	1.50	12.00
Flower)25	2.00	15.00	<i>Sarracenia purpurea</i> (Pitcher Plant).....	.25	1.50	12.00
<i>Cypripedium pubescens</i> (Yellow Lady's Slipper)....	.30	2.50	20.00	<i>Sarracenia rubra</i> (Red-flowered Trumpet-Leaf).....	.25	1.50	12.00
<i>Cypripedium spectabile</i> (Showy Lady's Slipper).....	.35	3.00	25.00	<i>Scirpus atrovirens</i> (Marsh Sedge).....	.15	1.00	8.00
<i>Goodyera pubescens</i> (Rattlesnake Plantain).....	.25	1.50	12.00	<i>Typha latifolia</i> (Cat-tail).....	.25	1.50	12.00
<i>Juncus effusus</i> (Bog Rush).....	.15	1.00	8.00	<i>Vaccinium macrocarpon</i> (American Cranberry)....	.15	1.00	8.00
				<i>Veratrum viride</i> (American White Hellebore).....	.25	1.50	12.00

ARTIFICIAL BOG GARDEN

In a Bog Garden the amount of moisture present may not be excessive, yet it must be constant. If one does not have the natural conditions for growing this interesting group of plants, an Artificial Bog Garden can be constructed.

To construct an Artificial Bog Garden, excavate to a depth of $2\frac{1}{2}$ or 3 feet, or below the frost line. A retaining basin should be made of clay or cement, something that will hold the water. If cement is used, it should be painted to prevent the lime in the cement from working into the soil, as Bog Plants will not thrive in the presence of lime.

Make an outlet about 8 or 9 inches from the surface and fill up to this point with a layer of crushed rock or coarse gravel. This coarse fill will keep the water table at a constant level. On top of this material place a layer of rich wood dirt or acid humus up to the level of the surrounding ground. The supply of water may be either natural or artificial. If artificial, pipe the supply of water into the coarse fill. The water will find its way to the surface in sufficient quantities to successfully grow most Bog Plants.



Cypripedium pubescens



Cypripedium acaule

Native Orchids are universally admired. These beautiful gems of our woodland can, in the majority of cases, be successfully grown. Let us brighten a corner of your Woodland Garden with some of these interesting and beautiful Native Plants.

EVERGREEN SHRUBS
NATIVE RHODODENDRONS

All members of the Heath family, including Broad-leaved Evergreens and Azaleas, require a soil showing an acid reaction. Leaf-mold is very beneficial to the growth of these plants and produces a strong acid reaction and leaves the soil porous, admitting air and affording good drainage.

For permanent and substantial plantings in shaded places, nothing surpasses our Native Broad-leaved Evergreens. Native Rhododendrons and Azaleas combine to give a naturalistic planting that luxuriates which is hard to describe. Our stock is of the finest quality and is grown in our Nursery from cut-back clumps. The prices listed are f. o. b. Southwick and include packing charges.

VARIETIES

	Each	Per 10	Per 100
Calluna vulgaris (Heather)			
6-9 in.	\$0.75	\$6.00	\$50.00
Daphne cneorum (Garland Flower—Rose)			
6-8 in.60	5.00	45.00
8-10 in.75	6.00	50.00
10-12 in.85	8.00	75.00
12-15 in.	1.10	10.00	90.00
Ilex glabra (Inkberry)			
15-18 in.	1.75	15.00	125.00
18-24 in.	2.25	20.00	175.00
2-2½ ft.	2.75	25.00	225.00
Kalmia latifolia (Mountain Laurel)			
12-15 in.	1.00	8.50	75.00
15-18 in.	1.35	12.00	100.00
18-24 in.	1.75	15.00	125.00
2-2½ ft.	2.25	20.00	175.00
Leucothoe catesbaei (Drooping Leucothoe)			
15-18 in.	1.25	11.00	100.00
18-24 in.	1.50	13.50	125.00



A fine example of the effect that can be produced by planting Rhododendrons at the edge of a pool or pond.

	Each	Per 10	Per 100
Pachysandra terminalis (Japanese Spurge).....	\$0.25	\$2.00	\$15.00
Pieris floribunda (Lily-of-the-Valley Shrub)			
12-15 in.	1.25	10.00	85.00
15-18 in.	1.50	12.50	100.00
18-24 in.	1.75	15.00	125.00
2-2½ ft.	2.25	20.00	175.00
Rhododendron carolinianum (Carolina Pink)			
12-15 in.	2.25	20.00	175.00
15-18 in.	2.50	22.50	200.00
18-24 in.	2.75	25.00	225.00
2-2½ ft.	3.00	27.50	250.00

	Each	Per 10	Per 100
Rhododendron catawbiense (Catawba, Rosy Purple)			
12-15 in.	\$2.00	\$17.50	\$150.00
15-18 in.	2.50	22.50	200.00
18-24 in.	2.75	25.00	225.00
(Extra heavy) 18-24 in.....	3.25	30.00	275.00
2-2½ ft.	3.25	30.00	275.00
(Extra heavy) 2-2½ ft.....	3.50	32.50	300.00
2½-3 ft.	3.50	32.50	300.00

Rhododendron catawbiense compactum (Compact R)			
12-15 in.	2.00	17.50	150.00
15-18 in.	2.50	22.50	200.00
18-24 in.	3.00	27.50	

Rhododendron maximum (Rosebay—White)			
15-18 in.	1.75	15.00	125.00
18-24 in.	2.00	17.50	150.00
(Extra heavy) 18-24 in.....	2.50	22.50	200.00
2-2½ ft.	2.50	22.50	200.00
2½-3 ft.	3.00	27.50	250.00

HARDY AZALEAS

	Each	Per 10	Per 100
Azalea arborescens (Sweet Azalea—White)			
15-18 in.	\$1.75	\$15.00	\$125.00
18-24 in.	2.00	17.50	150.00

Azalea calendulacea (Flame Azalea)			
15-18 in.	1.50	12.50	100.00
18-24 in.	2.00	17.50	150.00
2-2½ ft.	2.25	20.00	175.00
2½-3 ft.	2.50	22.50	200.00
3-3½ ft.	3.00	27.50	250.00
3½-4 ft.	3.50	32.50	300.00

Azalea canescens (Piedmont Azalea—Pink)			
15-18 in.	1.75	15.00	125.00
18-24 in.	2.00	17.50	150.00
2-2½ ft.	2.25	20.00	175.00
2½-3 ft.	2.50	22.50	200.00

Azalea nudiflora (Pinxter—Pink)			
15-18 in.	1.75	15.00	125.00
18-24 in.	2.00	17.50	150.00
2-2½ ft.	2.25	20.00	175.00



Rhododendron catawbiense, 18-inch grade

	Each	Per 10	Per 100
Azalea vaseyi (Southern Pink)			
15-18 in.	\$1.75	\$15.00	\$125.00
18-24 in.	2.00	17.50	150.00
2-2½ ft.	2.25	20.00	175.00
2½-3 ft.	2.50	22.50	200.00
Azalea viscosa (Swamp Azalea—White)			
2-2½ ft.	1.50	12.50	100.00
2½-3 ft.	2.00	17.50	150.00
3-4 ft.	2.50	22.50	200.00
Gaylussacia resinosa (Black Huckleberry)			
1-2 ft.50	4.50	40.00
Rhodora canadensis (Rosy Purple)			
12-18 in.50	4.50	40.00

	Each	Per 10	Per 100
Vaccinium corymbosum (High-bush Blueberry)			
1½-2 ft.	\$0.85	\$7.50	\$65.00
2-3 ft.	1.25	10.00	75.00
Vaccinium pennsylvanicum (Low-bush Blueberry)			
12-15 in.50	4.50	40.00



A typical plant of *Azalea calendulacea*

CONIFEROUS EVERGREENS

The varieties we are offering are natives and adapted for use in naturalistic plantings. Hemlocks and Arborvitae form fine backgrounds for Rhododendron and Azalea plantings and we strongly recommend their use for this purpose. The prices listed are f. o. b. Southwick and include packing charges.

VARIETIES

	Each	Per 10	Per 100		Each	Per 10	Per 100
Thuja occidentalis (American Arborvitae)				Tsuga canadensis (Common Hemlock)			
1-2 ft.	\$1.00	\$7.50	\$50.00	1-2 ft.	\$1.00	\$7.50	\$60.00
2-3 ft.	1.50	12.50	100.00	2-3 ft.	2.00	17.50	150.00
3-4 ft.	2.00	17.50	150.00	3-4 ft.	3.00	27.50	250.00
4-5 ft.	2.50	22.50	200.00	4-5 ft.	4.00	37.50	350.00
5-6 ft.	3.00	27.50	250.00	5-6 ft.	5.00	47.50	450.00
6-7 ft.	3.50	32.50	300.00	6-7 ft.	6.00	57.50	550.00
7-8 ft.	4.00	37.50	350.00				
Thuja occidentalis Pyramidalis (Pyramidal Arborvitae)				Tsuga caroliniana (Carolina Hemlock)			
1-2 ft.	1.00	7.50	50.00	1-2 ft.	1.00	7.50	60.00
2-3 ft.	1.50	12.50	100.00	2-3 ft.	2.00	17.50	150.00
3-4 ft.	2.00	17.50	150.00				

SPECIAL COLLECTION OF NATIVE LADYSLIPPERS

5 <i>Cypripedium acaule</i>	\$1.00
5 <i>Cypripedium pubescens</i>	1.25
5 <i>Cypripedium spectabile</i>	1.50

Catalog value	\$3.75
Complete collection	\$3.00

SPECIAL COLLECTION OF ROCK PLANTS

5 <i>Anemone pulsatilla</i>	\$1.00
5 <i>Iris cristata</i>75
5 <i>Phlox vivid</i>75

Catalog value	\$2.50
Complete collection	\$2.00

SPECIAL COLLECTION OF EARLY SPRING WILD FLOWERS

5 <i>Arisaema triphyllum</i>	\$0.75
5 <i>Claytonia virginica</i>50
5 <i>Dicentra Cucullaria</i>50
5 <i>Erythronium grandiflorum</i>50
5 <i>Mertensia virginica</i>75
5 <i>Trillium grandiflorum</i>50

Catalog value	\$3.50
Complete collection	\$3.00

Prices f. o. b. Southwick, Mass.



A shady nook, a few rocks, wild flowers and ferns—a bit of paradise on earth. That woodland spirit you adore will move to your home grounds with the children of the woods. Those Bloodroot and Lady's Slippers, Bluebells and Trilliums at your doorstep, enhanced with a background of America's finest floral display of native Rhododendrons and Azaleas, will create a unique atmosphere not to be attained with the more pretentious flowers of civilization. Ours is one of the most unique Nurseries in the Country. We specialize in native plant gems, Nature's own contribution to making this a brighter, better world. For fifty-seven years the founders of this business preached the gospel of naturalistic gardening.

Gillett Fern and Flower Farm, Inc.

Southwick, Massachusetts

1878 . . . 1935